

Package ‘SynthETIC’

January 20, 2025

Title Synthetic Experience Tracking Insurance Claims

Version 1.1.0

Author Benjamin Avanzi [aut],
William Ho [aut],
Greg Taylor [aut],
Melantha Wang [aut, cre],
Bernard Wong [aut]

Maintainer Melantha Wang <wang.melantha@gmail.com>

Imports stats, ggplot2, magrittr, rlang, methods, dplyr

Description Creation of an individual claims simulator which generates various features of non-life insurance claims. An initial set of test parameters, designed to mirror the experience of an Auto Liability portfolio, were set up and applied by default to generate a realistic test data set of individual claims (see vignette). The simulated data set then allows practitioners to back-test the validity of various reserving models and to prove and/or disprove certain actuarial assumptions made in claims modelling. The distributional assumptions used to generate this data set can be easily modified by users to match their experiences. Reference: Avanzi B, Taylor G, Wang M, Wong B (2020) ``SynthETIC: an individual insurance claim simulator with feature control" <[arXiv:2008.05693](https://arxiv.org/abs/2008.05693)>.

License GPL-3

Encoding UTF-8

URL <https://github.com/agi-lab/SynthETIC>

BugReports <https://github.com/agi-lab/SynthETIC/issues>

LazyData true

RoxygenNote 7.3.1

Suggests knitr, rmarkdown, RColorBrewer, actuar

VignetteBuilder knitr

Depends R (>= 2.10)

NeedsCompilation no

Repository CRAN

Date/Publication 2024-01-27 23:50:02 UTC

Contents

check_relativity	3
claims	3
claim_closure	4
claim_frequency	6
claim_notification	7
claim_occurrence	9
claim_output	9
claim_payment_delay	11
claim_payment_inflation	12
claim_payment_no	15
claim_payment_size	16
claim_payment_time	18
claim_size	19
claim_size_adj	20
claim_size_adj.fit	21
covariates	21
covariates_data	22
covariates_relativity	22
cv	23
generate_claim_dataset	24
generate_transaction_dataset	25
get_Beta_parameters	26
get_Weibull_parameters	26
plot.claims	27
plot_transaction_dataset	27
relativity_template	29
return_parameters	31
set.covariates_relativity	31
set_parameters	32
simulate_cdf	33
simulate_covariates	34
test_claims_object	34
test_claims_object_cov	36
test_claim_dataset	36
test_claim_dataset_cov	37
test_covariates_dataset	37
test_covariates_obj	38
test_transaction_dataset	38
test_transaction_dataset_cov	39
to_SynthETIC	39

Index

41

check_relativity	<i>Function to check the input Covariate Relativities</i>
------------------	---

Description

Performs assertions on inputted relativities, will raise an error if any checks fail. Currently checks on the: necessary column names used in dataframe, required factors and levels based on inputted factors, inputted relativities being non-negative numbers.

Usage

```
check_relativity(factors, relativity)
```

Arguments

factors	named list of vectors, containing the name of the covariates and associated factors in vector form.
relativity	relativity dataframe as defined in relativity_template .

claims	<i>Construction of a claims Object</i>
--------	--

Description

Constructs a claims object which stores all the simulated quantities.

Usage

```
claims(  
  frequency_vector,  
  occurrence_list,  
  claim_size_list,  
  notification_list,  
  settlement_list,  
  no_payments_list,  
  payment_size_list,  
  payment_delay_list,  
  payment_time_list,  
  payment_inflated_list  
)
```

Arguments

frequency_vector	a vector of claim frequencies for all the periods.
occurrence_list	list of claim occurrence times.
claim_size_list	list of claim sizes.
notification_list	list of notification delays.
settlement_list	list of settlement delays.
no_payments_list	list of number of partial payments.
payment_size_list	(compound) list of payment size pattern (without inflation).
payment_delay_list	(compound) list of inter partial delays.
payment_time_list	(compound) list of payment times on a continuous time scale.
payment_inflated_list	(compound) list of payment size pattern (after inflation).

Value

Returns a claims object (mainly a reformat of the arguments as a list object), with the 10 components as listed above.

claim_closure	<i>Claim Closure</i>
---------------	----------------------

Description

Simulates and returns the closure/settlement delays of each of the claims occurring in each of the periods, assuming a Weibull distribution.

Usage

```
claim_closure(frequency_vector, claim_size_list, rfun, paramfun, ...)
```

Arguments

frequency_vector	a vector of claim frequencies for all the periods.
claim_size_list	list of claim sizes.

rfun	optional alternative random sampling function; if not specified, assumes Weibull.
paramfun	parameters for the random sampling function, as a function of claim_size and occurrence_period; see Details.
...	other arguments/parameters to be passed onto paramfun.

Details

Claim settlement delay represents the delay from claim notification to closure. The epoch of closure is the sum of occurrence time, notification delay and settlement delay.

By default, it is assumed that the settlement delay follows a Weibull distribution. The default Weibull parameters have been set up such that the mean settlement delay (in quarters, but automatically converted to the relevant time_unit as defined in `set_parameters`) is proportional to

$$\min(25, \max(1, 6 + 4\log[\text{claim_size}/(0.10 * \text{ref_claim})]))$$

(where `ref_claim` is a packagewise-global variable that user is required to define by `set_parameters`) up to a scaling factor "a", which is dependent on `occurrence_period`. Specifically,

$$a = \min(0.85, 0.65 + 0.02 * (\text{occurrence_period} - 21))$$

if `claim_size < (0.10 * ref_claim)` and `occurrence_period ≥ 21`, and

$$a = \max(0.85, 1 - 0.0075 * \text{occurrence_period})$$

otherwise. The CoV of the settlement delay is constant at 60%, independent of the size and occurrence period of the claim.

Note that this function can create out-of-bound settlement dates. In these cases, the simulated epoch of occurrence of the transaction is maintained throughout the simulation of details of the claim concerned. Adjustments will only be made for the tabulation of results in `claim_output` and payment inflation.

Of course, like any other SynthETIC modules, the user may wish to sample from a different distribution `rfun` and/or a different set of parameters. The `paramfun` should return the distribution parameters in a **vector**, e.g. for gamma distribution `paramfun` should return a value in the format of `c(shape = , scale =)`, for exponential distribution this should return `c(rate =)`. See Examples. If a `rfun` is specified without a `paramfun`, SynthETIC will try to proceed without parameterisation (i.e. directly calling `rfun` with claim size and occurrence period), and if it fails, then return an error message.

Value

A list of settlement delays such that the *i*th component of the list gives the settlement delays for all claims that occurred in period *i*.

Examples

```
n_vector <- c(90, 79, 102, 78, 86, 88, 116, 84, 93, 104)

# Try a constant Weibull distribution
# (i.e. independent of claim size and occurrence period)
```

```

setldel_param <- function(claim_size, occurrence_period) {
  mean <- 10; cv <- 0.70
  shape <- get_Weibull_parameters(mean, cv)[1, ]
  scale <- get_Weibull_parameters(mean, cv)[2, ]
  c(shape = shape, scale = scale)
}

setldel <- claim_closure(n_vector, claim_size(n_vector),
  paramfun = setldel_param)
setldel[[1]] # show settlement delay of claims originating from period 1

```

claim_frequency	<i>Claim Frequency</i>
-----------------	------------------------

Description

Returns the number of insurance claims occurring in each of the periods.

Usage

```

claim_frequency(
  I = 40,
  E = 12000,
  freq = 0.03,
  simfun,
  type = c("r", "p"),
  ...
)

```

Arguments

I	number of claims development periods considered.
E	effective annual exposure associated with each period (vector).
freq	expected frequency per unit exposure for each period (vector).
simfun	optional alternative sampling distribution; see Details.
type	the type of simfun provided. The default is a random generation function (e.g. rpois); the alternative "p" is any valid cumulative distribution function (e.g. ppois).
...	other arguments/parameters to be passed onto simfun.

Details

Unless otherwise specified, claim_frequency() assumes the claim frequency follows a Poisson distribution with mean equal to the product of exposure E associated with period *i* and expected claim frequency freq per unit exposure for that period.

If no arguments are provided, by default claim_frequency() assumes a total of 40 development

periods, constant exposure rate at 12000 per year and constant frequency at 0.03 per unit of exposure.

If one wishes to use an alternative sampling distribution for claim frequency, they could declare such specification through the `simfun` argument. The `simfun` argument takes both random generation functions (`type = "r"`, the default) and cumulative distribution functions (`type = "p"`). For the latter, `claim_frequency()` will first search for the existence of the corresponding `r`-function. If it notes the existence of such an `r`-function (e.g. `rpois` for `simfun = ppois`), it will directly apply the `r`-function to optimise simulation efficiency. Otherwise, the function uses a numerical inverse transform method for simulation (see [simulate_cdf](#)), which may not be the most efficient and can potentially result in errors if an appropriate `range` is not specified in the optional arguments.

Pre-defined distribution functions such as `ppois` are supported.

Examples

```
no_period <- 40
exposure <- c(rep(12000, no_period))
exp_freq <- c(rep(0.03, no_period))
# returns the same result as claim_frequency()
claim_frequency(I = no_period, E = exposure, freq = exp_freq)

# use a pre-defined random generation function
claim_frequency(I = 10, simfun = rpois, lambda = 80)
# or equivalently, through a distribution function
claim_frequency(I = 10, simfun = ppois, type = "p", lambda = 80)
```

claim_notification	<i>Claim Notification</i>
--------------------	---------------------------

Description

Simulates and returns the notification/reporting delays of each of the claims occurring in each of the periods, according to a user-specified distribution (by default a Weibull).

Usage

```
claim_notification(frequency_vector, claim_size_list, rfun, paramfun, ...)
```

Arguments

<code>frequency_vector</code>	a vector of claim frequencies for all the periods.
<code>claim_size_list</code>	list of claim sizes.
<code>rfun</code>	optional alternative random sampling function; if not specified, assumes Weibull.
<code>paramfun</code>	parameters for the random sampling function, as a function of <code>claim_size</code> and <code>occurrence_period</code> ; see Details .
<code>...</code>	other arguments/parameters to be passed onto <code>paramfun</code> .

Details

Claim notification delay represents the delay from claim occurrence to reporting. SynthETIC assumes the (removable) dependence of notification delay on claim size and occurrence period of the claim, thus requiring the user to specify a paramfun of `claim_size` and `occurrence_period` (with the option to add more arguments as needed).

The paramfun should return the distribution parameters in a **vector**, e.g. for gamma distribution paramfun should return a value in the format of `c(shape = , scale =)`, for exponential distribution this should return `c(rate =)`. See Examples. If a rfun is specified without a paramfun, SynthETIC will try to proceed without parameterisation (i.e. directly calling rfun with claim size and occurrence period), and if it fails, return an error message.

By default, it is assumed that the notification delay follows a Weibull distribution, and that the mean notification delay (in quarters) is given by

$$\min(3, \max(1, 2 - [\log(\text{claim_size}/(0.50 * \text{ref_claim}))]/3))$$

automatically converted to the relevant `time_unit` defined by user at the top of their script through `set_parameters`. Note that the `ref_claim` in the equation is another package-wise global variable that the user needs to define through `set_parameters` as it determines the monetary scale of the simulator. The CoV (Coefficient of Variation) of the notification delay is assumed to be constant at 70%, independent of the size and occurrence period of the claim.

Of course, the user may wish to sample from a different distribution rfun and/or a different set of parameters. An example is given below.

Value

A list of notification delays such that the i th component of the list gives the notification delays for all claims that occurred in period i .

Examples

```
n_vector <- c(90, 79, 102, 78, 86, 88, 116, 84, 93, 104)

# Try a constant Weibull distribution
# (i.e. independent of claim size and occurrence period)
notidel_param <- function(claim_size, occurrence_period) {
  mean <- 2; cv <- 0.70
  shape <- get_Weibull_parameters(mean, cv)[1, ]
  scale <- get_Weibull_parameters(mean, cv)[2, ]
  c(shape = shape, scale = scale)
}

notidel <- claim_notification(n_vector, claim_size(n_vector),
                             paramfun = notidel_param)
notidel[[1]] # show notification for claims originating from period 1
```

claim_occurrence	<i>Claim Occurrence Times</i>
------------------	-------------------------------

Description

Returns the occurrence times of each of the claims occurring in each of the periods, assuming the occurrence time of any claim in period i is uniformly distributed between times $i - 1$ and i .

Usage

```
claim_occurrence(frequency_vector)
```

Arguments

frequency_vector
 a vector of claim frequencies for all the periods.

Value

A list of occurrence times such that the i th component of the list gives the claim occurrence time for all claims that occurred in period i .

Examples

```
n_vector <- c(90, 79, 102, 78, 86, 88, 116, 84, 93, 104)
# occurrence time for all claims originating from period 1
claim_occurrence(n_vector)[[1]]
```

claim_output	<i>Loss Reserving Output</i>
--------------	------------------------------

Description

Outputs the full (or past) square of claim payments by occurrence period and development period. The upper left triangle represents the past, and the lower right triangle the unseen future.

Users can modify the aggregate level by providing an `aggregate_level` argument to the function. For example, setting `aggregate_level = 4` when working with calendar *quarters* produces a payment square by occurrence and development *year*.

Users will also have the option to decide whether to include the out-of-bound transactions to the maximum DQ, or to leave them in a separate "tail" cell, see Details.

Usage

```
claim_output(
  frequency_vector,
  payment_time_list,
  payment_size_list,
  aggregate_level = 1,
  incremental = TRUE,
  future = TRUE,
  adjust = TRUE
)
```

Arguments

frequency_vector	a vector of claim frequencies for all the periods.
payment_time_list	(compound) list of payment times (both the continuous time scale and the discrete period versions work).
payment_size_list	(compound) list of payment size pattern (can be either with or without inflation).
aggregate_level	number of periods to be aggregated together; must be a divisor of the total number of periods under consideration (default 1).
incremental	logical; if true returns the incremental payment square, else returns the cumulative payment square.
future	logical; if true shows the full claim triangle (i.e. including claim payments in future periods), else shows only the past triangle (default TRUE).
adjust	logical; if true accumulates all payments beyond the max development period to the last development period, else shows a separate "tail" column for all the out-of-bound transactions.

Details

Remark on out-of-bound payment times: This function allows adjustment for out-of-bound transaction dates, by forcing payments that were projected to fall out of the maximum development period to be paid at the exact end of the maximum development period allowed (when we set `adjust = TRUE`, which is the default behaviour). For example, if we consider 40 periods of development and a claim incurred in the interval (20, 21] was projected to have a payment at time 62.498210, then for the purpose of tabulation, we can

- treat such a payment as if it occurred at time 60 (`adjust = TRUE`);
- leave the payment in the "tail" cell, so the user can see the proportion of payments beyond the maximum development period (`adjust = FALSE`).

Value

An array of claims payments.

Examples

```
attach(test_claims_object)
# a square of cumulative claims payments by accident and development quarters
CL <- claim_output(frequency_vector, payment_time_list, payment_size_list,
                  aggregate_level = 1, incremental = FALSE)
detach(test_claims_object)
```

claim_payment_delay *Inter-Partial Delays*

Description

Simulates and returns the inter-partial delays (i.e. the delay of one partial payment relative to the previous) of each payment for each of the claims occurring in each of the periods.

Usage

```
claim_payment_delay(
  frequency_vector,
  claim_size_list,
  no_payments_list,
  settlement_list,
  rfun,
  paramfun,
  ...
)
```

Arguments

frequency_vector a vector of claim frequencies for all the periods.

claim_size_list list of claim sizes.

no_payments_list list of number of partial payments.

settlement_list list of settlement delays.

rfun optional alternative random sampling function; see Details for default.

paramfun parameters for the random sampling function, as a function of `claim_size`, `setl1del`; see Details.

... other arguments/parameters to be passed onto `paramfun`.

Details

Returns a compound list structure such that the j th component of the i th sub-list gives the payment delay pattern (as a vector) for the j th claim of occurrence period i .

The default `rfunc` is split into 2 cases.

Case 1: claims with at least 4 partial payments. The simulation takes 2 steps. First we sample the last payment delay from a Weibull distribution with mean = 1 quarter (automatically converted to the relevant `time_unit`, a global variable that the user is required to define at the top of their code) and CoV = 20%. Then we sample the remaining payment delays from a second Weibull distribution with CoV at 35% and mean = target mean settlement delay (see [claim_closure](#)) divided by the number of payments.

Case 2: claims with less than 4 partial payments. Proceed as in Case 1 but without separating out the simulation of the last payment delay (i.e. ignore step 1).

Examples

```
# set up
n_vector <- claim_frequency(I = 10)
claim_sizes <- claim_size(n_vector)
no_payments <- claim_payment_no(n_vector, claim_sizes)
setldel <- claim_closure(n_vector, claim_sizes)

# with default setting
pmtdel <- claim_payment_delay(n_vector, claim_sizes, no_payments, setldel)
pmtdel[[1]][[1]] # payment delays for claim 1 of occurrence period 1

# with some custom rfunc
# simplistic case: payments times are uniformly distributed
my_func <- function(n, setldel) {
  prop <- runif(n)
  prop <- prop / sum(prop)
  setldel * prop
}
mypayments <- claim_payment_delay(n_vector, claim_sizes, no_payments, setldel,
                                rfunc = my_func)

# inter-partial delays for claim 1 of occurrence period 1
mypayments[[1]][[1]]
```

claim_payment_inflation

Size of Partial Payments (With Inflation)

Description

Converts the (compound) list of constant-dollar-value payment sizes to a (compound) list of inflated payment sizes by applying inflation rates on a continuous time scale.

Compare with `claim_payment_size()` which generates the constant dollar amount of partial payment sizes. Note that the constant dollar values are as of time 0.

Usage

```
claim_payment_inflation(
  frequency_vector,
  payment_size_list,
  payment_time_list,
  occurrence_list,
  claim_size_list,
  base_inflation_vector,
  si_occurrence_function,
  si_payment_funtion
)
```

Arguments

`frequency_vector`
a vector of claim frequencies for all the occurrence periods.

`payment_size_list`
(compound) list of payment size pattern (without inflation).

`payment_time_list`
(compound) list of payment times on a **continuous** time scale.

`occurrence_list`
(compound) list of occurrence times on a **continuous** time scale.

`claim_size_list`
list of claim sizes.

`base_inflation_vector`
vector showing **quarterly** base inflation rates (quarterly effective) for all the periods under consideration (default at nil base inflation).

`si_occurrence_function`
function of `occurrence_time` and `claim_size` that outputs the superimposed inflation index with respect to claim occurrence time (see Details for the default inflation function).

`si_payment_funtion`
function of `payment_time` and `claim_size` that outputs the superimposed inflation index with respect to payment time (see Details for the default inflation function).

Details

Returns a compound list structure such that the j th component of the i th sub-list gives the **inflated** payment pattern (as a vector) for the j th claim of occurrence period i .

By default we assume

- Nil base inflation.
- No superimposed inflation by (continuous) occurrence time for the first 20 quarters (converted to the relevant `time_unit`); beyond 20 quarters, the inflation index is given by

$$1 - 0.4 \max(0, 1 - \text{claim_size} / (0.25 * \text{ref_claim}))$$

where `ref_claim` is a package-wise global variable that user is required to define at the top of their code using `set_parameters`. The interpretation is that, due to some external change to the insurance scheme at the end of occurrence quarter 20, the smallest claims will reduce by up to 40% in size. This change will not impact claims exceeding $0.25 * \text{ref_claim}$ in size. The reduction varies linearly between these claim sizes.

- Superimposed inflation by (continuous) payment time operates at a period rate of

$$\gamma * \max(0, 1 - \text{claim_size}/\text{ref_claim})$$

where γ is equivalent to a 30% p.a. inflation rate (converted to the relevant `time_unit`). The interpretation is that, for claims of small size the payment time superimposed inflation tends to be very high (30% p.a.); whereas for claims exceeding `ref_claim` in dollar values as of $t = 0$, the payment time superimposed inflation is nil. The rate of inflation varies linearly between claim sizes of zero and `ref_claim`.

Remark on continuous inflation: We note that SynthETIC works with exact transaction times, so time has been measured continuously throughout the program. This allows us to apply inflation on a continuous time scale too. For example, we asked the users to provide base inflation as a vector of quarterly base inflation rates, quarterly effective for all the periods under consideration. This data is generally available online (e.g. the Australian quarterly inflation is available on RBA's website - see [link](#)). We then interpolate the quarterly inflation rates to compute the addition of inflation by exact times. In the case of above, if we observed quarterly inflation rates of 0.6%, 0.5%, 0.7% and 0.3% for one particular year, then the base inflation applied to a payment at time $t = 1.82$ quarters will be $1.006 * 1.005^{0.82}$.

Remark on out-of-bound payment times: This function includes adjustment for out-of-bound transaction dates, by forcing payments that were projected to fall out of the maximum development period to be paid at the exact end of the maximum development period allowed. For example, if we consider 40 periods of development and a claim incurred in the interval (20, 21] was projected to have a payment at time 62.498210, then we would treat such a payment as if it occurred at time 60 for the purpose of inflation.

Examples

```
# remove SI occurrence and SI payment
SI_occurrence <- function(occurrence_time, claim_size) {1}
SI_payment <- function(payment_time, claim_size) {1}
# base inflation constant at 0.02 p.a. effective
# (length is 80 to cover the maximum time period)
base_inflation_vector <- rep((1 + 0.02)^(1/4) - 1, times = 80)
attach(test_claims_object)
payment_inflated_list <- claim_payment_inflation(
  frequency_vector, payment_size_list, payment_time_list,
  occurrence_list, claim_size_list, base_inflation_vector,
  SI_occurrence, SI_payment
)
detach(test_claims_object) # undo the attach
# inflated payments for claim 1 of occurrence period 1
payment_inflated_list[[1]][[1]]
```

claim_payment_no	<i>Number of Partial Payments</i>
------------------	-----------------------------------

Description

Simulates and returns the number of partial payments required to settle each of the claims occurring in each of the periods.

Usage

```
claim_payment_no(frequency_vector, claim_size_list, rfun, paramfun, ...)
```

Arguments

frequency_vector	a vector of claim frequencies for all the periods.
claim_size_list	list of claim sizes.
rfun	optional alternative random sampling function; see Details for default.
paramfun	parameters for the random sampling function, as a function of claim_size; see Details.
...	other arguments/parameters to be passed onto paramfun, e.g. if going with the default sampling distribution, you can specify a claim_size_benchmark_1 (below which claims are assumed to be settled with 1 or 2 payments) and claim_size_benchmark_2 (below which claims are assumed to be settled with 2 or 3 payments).

Details

Returns a list structure such that the i th component of the list gives the number of partial payments required to settle each of the claims that occurred in period i . It is assumed that at least one payment is required i.e. no claims are settled without any single cash payment.

Let M represent the number of partial payments associated with a particular claim. The default simulate_no_pmt_function is set up such that if $\text{claim_size} \leq \text{claim_size_benchmark}_1$,

$$Pr(M = 1) = Pr(M = 2) = 1/2;$$

if $\text{claim_size_benchmark}_1 < \text{claim_size} \leq \text{claim_size_benchmark}_2$,

$$Pr(M = 2) = 1/3, Pr(M = 3) = 2/3;$$

if $\text{claim_size} > \text{claim_size_benchmark}_2$ then M is geometric with minimum 4 and mean

$$\min(8, 4 + \log(\text{claim_size}/\text{claim_size_benchmark}_2)).$$

Alternative sampling distributions are supported through rfun (the random generation function) and paramfun (which returns the parameters of rfun as a function of claim_size). The paramfun should return the distribution parameters in a **vector**, e.g. for gamma distribution paramfun should return a value in the format of c(shape = , scale =). If a rfun is specified without a paramfun, SynthETIC will try to proceed without parameterisation (i.e. directly calling rfun with claim_size), and if it fails, then return an error message.

Examples

```
n_vector <- claim_frequency(I = 10)
# with default simulation function
no_payments <- claim_payment_no(n_vector, claim_size(n_vector))
no_payments[[1]] # number of payments for claims incurred in period 1

# modify the lower benchmark value
claim_payment_no(n_vector, claim_size(n_vector),
                 claim_size_benchmark_1 = 5000)
```

claim_payment_size	<i>Size of Partial Payments (Without Inflation)</i>
--------------------	---

Description

Simulates and returns the constant dollar amount of each partial payment (i.e. **without inflation**) for each of the claims occurring in each of the periods.

Usage

```
claim_payment_size(
  frequency_vector,
  claim_size_list,
  no_payments_list,
  rfun,
  paramfun,
  ...
)
```

Arguments

frequency_vector	a vector of claim frequencies for all the periods.
claim_size_list	list of claim sizes.
no_payments_list	list of number of partial payments.
rfun	optional alternative random sampling function; see Details for default.
paramfun	parameters for the random sampling function, as a function of claim_size; see Details.
...	other arguments/parameters to be passed onto paramfun.

Details

Returns a compound list structure such that the j th component of the i th sub-list gives the payment pattern (as a vector) for the j th claim of occurrence period i .

The default rfun is set up in three steps. First we sample the **complement** of the proportion of total claim size represented by the last two payments, from a Beta distribution with mean

$$1 - \min(0.95, 0.75 + 0.04 \log[\text{claim_size}/(0.10 * \text{ref_claim})])$$

where ref_claim is a package-wise global variable that we ask the user to define at the top of their code using `set_parameters`. CoV is assumed constant at 20%.

Next we simulate the proportion of last_two_pmts paid in the second last payment (*settlement of the claim*) from a Beta distribution with mean = 0.90 and CoV = 3%.

Lastly we sample the remaining payment proportions from a Beta distribution with mean

$$(1 - \text{last_two_payments})/(\text{no_pmt} - 2)$$

and CoV = 10%, which is followed by a normalisation such that the proportions add up to 1.

In the cases where there are only 2 or 3 partial payments, proceed as if there were 4 or 5 payments respectively with last_two_payments = 0. The trivial case is when the claim is settled with a single payment, which must be of the same amount as the total claim size.

Alternative sampling distributions are supported through rfun (the random generation function) and paramfun (which returns the parameters of rfun as a function of claim_size). The paramfun should return the distribution parameters in a **vector**, e.g. for gamma distribution paramfun should return a value in the format of c(shape = , scale =). If a rfun is specified without a paramfun, SynthETIC will try to proceed without parameterisation (i.e. directly calling rfun with claim_size), and if it fails, then return an error message.

Explanation

Why did we set up a payment pattern as above?

The payment pattern is set up to reflect the typical pattern of a claim from an Auto liability line of business, which usually consists of:

1. (possibly) some small payments such as police reports, medical consultations and reports;
2. some more substantial payments such as hospitalisation, specialist medical procedures, equipment (e.g. prosthetics);
3. a final settlement with the claimant (usually the second last payment);
4. a smaller final payment, usually covering legal costs.

Claims in a number of other lines of business exhibit a similar structure, albeit with possible differences in the types of payment made.

Examples

```
# set up
n_vector <- claim_frequency(I = 10)
claim_sizes <- claim_size(n_vector)
```

```

no_payments <- claim_payment_no(n_vector, claim_sizes)

# with default rfun
payments <- claim_payment_size(n_vector, claim_sizes, no_payments)
# partial payment sizes for claim 1 of occurrence period 1
payments[[1]][[1]]

# with some custom rfun
# simplistic case: (stochastically) equal amounts
my_func <- function(n, claim_size) {
  prop <- runif(n)
  prop <- prop / sum(prop)
  claim_size * prop
}
mypayments <- claim_payment_size(n_vector, claim_sizes, no_payments, my_func)
# partial payment sizes for claim 1 of occurrence period 1
mypayments[[1]][[1]]

```

claim_payment_time *Partial Payment Times (in Continuous Time Scale)*

Description

Converts the list of inter-partial delays to a list of payment times in continuous time scale. Set discrete = TRUE to get the payment times in calendar periods.

Usage

```

claim_payment_time(
  frequency_vector,
  occurrence_list,
  notification_list,
  payment_delay_list,
  discrete = FALSE
)

```

Arguments

frequency_vector a vector of claim frequencies for all the periods.

occurrence_list list of claim occurrence times.

notification_list list of notification delays.

payment_delay_list (compound) list of inter partial delays.

discrete logical; if TRUE returns integer-valued payment times (default FALSE).

Details

Returns a compound list structure such that the j th component of the i th sub-list gives the payment time pattern (as a vector) for the j th claim of occurrence period i .

Note that, as in the case of `claim_closure`, this function can result in out-of-bound payment dates (i.e. payment times beyond the maximum number of development periods under consideration). In these cases, we retain the original simulated values for the simulation of other quantities, but we will make adjustments for such claims in the tabulation of results in `claim_output` and the payment inflation function `claim_payment_inflation`.

claim_size	<i>Claim Size</i>
------------	-------------------

Description

Simulates and returns the size of each of the claims occurring in each of the periods, given its cumulative distribution function.

Note that `claim_size()` aims to model the claim sizes **without inflation**.

Usage

```
claim_size(frequency_vector, simfun, type = c("r", "p"), ...)
```

Arguments

frequency_vector	a vector of claim frequencies for all the periods.
simfun	optional alternative sampling distribution; see Details.
type	the type of simfun provided. The default is a random generation function (e.g. <code>rweibull</code>); the alternative "p" is any valid cumulative distribution function (e.g. <code>pweibull</code>).
...	other arguments/parameters to be passed onto simfun.

Details

By default `claim_size()` assumes a left truncated power normal distribution: $S^{0.2} Normal(9.5, sd = 3)$, left truncated at 30. The truncation is done via resampling for rejected values.

Users can opt to use alternative distributions if desired. As discussed in `claim_frequency`, users can declare such specification through the `simfun` argument, which takes both random generation functions (`type = "r"`, the default) and cumulative distribution functions (`type = "p"`). See Examples.

For the latter, `claim_size()` will first search for the existence of the corresponding r-function. If it notes the existence of such an r-function (e.g. `rweibull` for `simfun = pweibull`), it will directly

apply the `r`-function to optimise simulation efficiency. Otherwise, the function uses a numerical inverse transform method for simulation (see [simulate_cdf](#)), which may not be the most efficient and can potentially result in errors if an appropriate range is not specified in the optional arguments.

Value

A list of claim sizes such that the i th component of the list gives the sizes for all claims that occurred in period i .

Examples

```
n_vector <- c(90, 79, 102, 78, 86, 88, 116, 84, 93, 104)
claim_size(n_vector)[[1]] # gives the sizes for all
                        # all claims incurred in period 1

# use some custom pre-defined distribution function
claim_size(n_vector, stats::rweibull, shape = 4, scale = 100000)[[1]]
# equivalently
claim_size(n_vector, stats::pweibull, "p", shape = 4, scale = 100000)[[1]]
```

claim_size_adj	<i>Covariates Claim Size Adjustment</i>
----------------	---

Description

Adjusts claim sizes given a set of covariates. Note that this function firstly simulates covariate levels for each claim, see [simulate_covariates](#).

Usage

```
claim_size_adj(covariate_obj, claim_size)
```

Arguments

`covariate_obj` a [covariates](#) object
`claim_size` a list in the same output as [claim_size](#)

Value

Returns a nested named list:

- `covariates_data` which is a named list of covariate relativities ([covariates](#)), the simulated covariate levels (`data`) and the claim IDs.
- `claim_size_adj` which is a list of adjusted claim sizes such that the i th component of the list gives the sizes for all claims that occurred in period i .

claim_size_adj.fit *Covariates Claim Size Adjustment*

Description

Adjusts claim sizes given the covariates related to each claim. The relative adjustment of each claim size is given by the severity relativities of the covariates.

Usage

```
claim_size_adj.fit(covariates_data, claim_size)
```

Arguments

covariates_data a covariates_data object
claim_size a list in the same output as [claim_size](#)

covariates *Construction of a covariates Object*

Description

Constructs a covariates object which stores all covariate inputs. All covariates will be assumed discrete. Continuous covariates will have been discretized.

Usage

```
covariates(factors)
```

Arguments

factors named list of vectors, containing the name of the covariates and associated factors in vector form.

Details

Creating a covariates object will provide template relativities for the frequency and severity relativities. It is encouraged to use the setter functions [set.covariates_relativity](#) to set these values to ensure that all necessary inputs are provided.

Value

Returns a covariates object.

Examples

```
factors <- list(
  "Legal Representation" = c("Y", "N"),
  "Injury Severity" = as.character(1:6),
  "Age of Claimant" = c("0-15", "15-30", "30-50", "50-65", "over 65")
)

covariate_obj <- covariates(factors)
```

covariates_data *Construction of a covariates_data Object*

Description

Constructs a covariates_data object which stores the dataset of known covariate levels of each factor.

Usage

```
covariates_data(covariates, data, covariates_id = NULL)
```

Arguments

covariates a [covariates](#) object

data a dataset of covariate values, with columns equal to each of the covariate factors and rows related to individual claim observations.

covariates_id optional list of list of ids, in the same format as a [claim_size](#) output. Also see [to_SynthETIC](#). Defaults to NULL.

Value

Returns a covariates_data object.

covariates_relativity *Calculates Relativities*

Description

Calculates the relativities (freq or sev) of a set of covariate values.

Usage

```
covariates_relativity(
  covariates_data,
  freq_sev = c("freq", "sev"),
  by_ids = FALSE
)
```

Arguments

covariates_data	a <code>covariates_data</code> object
freq_sev	one of freq or sev to calculate the frequency or severity relativity respectively.
by_ids	optional boolean to calculate reorder the result based off claim observations instead of observations in the covariates dataset. Defaults to FALSE.

cv

*Coefficient of Variation***Description**

Returns the observed coefficient of variation (CoV) of a given sample `x`.

If `na.rm` is true then missing values are removed before computation proceeds, as in the case of the `mean()` function.

Usage

```
cv(x, na.rm = TRUE)
```

Arguments

<code>x</code>	a numeric vector.
<code>na.rm</code>	a logical value indicating whether NA values should be stripped before the computation proceeds.

Details

The coefficient of variation is defined as is defined as the ratio of the standard deviation to the mean. It shows the extent of variability in relation to the mean of the population.

`cv()` estimates the CoV of a given sample by computing the ratio of the sample standard deviation (see `stats::sd`) to the sample mean.

Examples

```
cv(1:10)
```

`generate_claim_dataset`*Generate a Claims Dataset*

Description

Generates a dataset of claims records that takes the same structure as `test_claim_dataset` included in this package, with each row representing a unique claim.

Usage

```
generate_claim_dataset(  
  frequency_vector,  
  occurrence_list,  
  claim_size_list,  
  notification_list,  
  settlement_list,  
  no_payments_list  
)
```

Arguments

`frequency_vector`
a vector of claim frequencies for all the periods.

`occurrence_list`
list of claim occurrence times.

`claim_size_list`
list of claim sizes.

`notification_list`
list of notification delays.

`settlement_list`
list of settlement delays.

`no_payments_list`
list of number of partial payments.

Value

A dataframe that takes the same structure as [test_claim_dataset](#).

See Also

[test_claim_dataset](#)

Examples

```
# demo only, in practice might generate claim dataset before simulating
# the partial payments
# this code generates the built-in test_claim_dataset
attach(test_claims_object)
claim_dataset <- generate_claim_dataset(
  frequency_vector, occurrence_list, claim_size_list, notification_list,
  settlement_list, no_payments_list
)
detach(test_claims_object)
```

generate_transaction_dataset

Generate a Transactions Dataset

Description

Generates a dataset of partial payment records that takes the same structure as `test_transaction_dataset` included in this package, with each row representing a unique payment.

Usage

```
generate_transaction_dataset(claims, adjust = FALSE)
```

Arguments

<code>claims</code>	an claims object containing all the simulated quantities, see claims .
<code>adjust</code>	if TRUE then the payment times will be forced to match with the maximum development period under consideration; default FALSE (which will produce out-of-bound payment times).

Value

A dataframe that takes the same structure as [test_transaction_dataset](#).

See Also

[test_transaction_dataset](#)

Examples

```
# this generates the built-in test_transaction_dataset
transact_data <- generate_transaction_dataset(test_claims_object)
```

get_Beta_parameters *Estimating Beta Parameters*

Description

Returns the Beta parameters given the mean and the CoV of the target Beta distribution.

Usage

```
get_Beta_parameters(target_mean, target_cv)
```

Arguments

target_mean mean of the target Beta distribution (between 0 and 1).
target_cv CoV of the target Beta distribution.

Examples

```
get_Beta_parameters(target_mean = 0.5, target_cv = 0.20)  
get_Beta_parameters(target_mean = 0.5,  
                      target_cv = c(0.10, 0.20, 0.30))
```

get_Weibull_parameters
 Estimating Weibull Parameters

Description

Returns the Weibull shape and scale parameters given the mean and the CoV of the target Weibull distribution.

Usage

```
get_Weibull_parameters(target_mean, target_cv)
```

Arguments

target_mean mean of the target Weibull distribution.
target_cv CoV of the target Weibull distribution.

Examples

```
get_Weibull_parameters(target_mean = 100000, target_cv = 0.60)  
get_Weibull_parameters(target_mean = c(100000, 200000, 300000),  
                          target_cv = 0.60)
```

plot.claims *Plot of Cumulative Claims Payments (Incurred Pattern)*

Description

Generates a plot of cumulative claims paid (as a percentage of total amount incurred) as a function of development time for each occurrence period.

Usage

```
## S3 method for class 'claims'
plot(x, by_year = FALSE, inflated = TRUE, adjust = TRUE, ...)
```

Arguments

x	an object of class <code>claims</code> containing all the simulated quantities.
by_year	if TRUE returns a plot by occurrence year; otherwise returns a plot by occurrence period (default).
inflated	if TRUE shows a plot of payment pattern after inflation; otherwise shows a plot of discounted payment pattern.
adjust	if TRUE then the payment times will be forced to match with the maximum development period under consideration, otherwise the plot will see claims beyond the maximum development period; default TRUE.
...	other graphical parameters.

See Also

[claims](#)

Examples

```
plot(test_claims_object)
plot(test_claims_object, adjust = FALSE)
```

plot_transaction_dataset *Plot of Cumulative Claims Payments (Incurred Pattern)*

Description

Generates a plot of cumulative claims paid (as a percentage of total amount incurred) as a function of development time for each occurrence period.

Usage

```
plot_transaction_dataset(  
  transactions,  
  occurrence_time_col = "occurrence_time",  
  payment_time_col = "payment_time",  
  payment_size_col = "payment_inflated",  
  by_year = FALSE,  
  adjust = TRUE  
)
```

Arguments

transactions a dataset of partial payment records.

occurrence_time_col name of column that stores the time of occurrence of the claims (on a **continuous** scale).

payment_time_col name of column that stores the time of partial payments of the claims (on a **continuous** scale).

payment_size_col name of column that stores the size of partial payments of the claims.

by_year if TRUE returns a plot by occurrence year; otherwise returns a plot by occurrence period (default).

adjust if TRUE then the payment times will be forced to match with the maximum development period under consideration, otherwise the plot will see claims beyond the maximum development period; default TRUE.

See Also

[generate_transaction_dataset](#)

Examples

```
plot_transaction_dataset(test_transaction_dataset)  
  
# Plot claim development without end-of-development-period correction  
plot_transaction_dataset(test_transaction_dataset, adjust = FALSE)  
  
# Plot claim development without inflation effects  
plot_transaction_dataset(test_transaction_dataset, payment_size_col = "payment_size")
```

relativity_template *Template to input Covariate Relativities*

Description

Constructs a template for the covariate relativities based on the inputted covariates. Note that only non-zero relativities and one cross-factor relativity is needed for each factor pair.

Usage

```
relativity_template(factors)
```

Arguments

factors named list of vectors, containing the name of the covariates and associated factors in vector form.

Details

Suppose that there are m covariates labelled c_i , $i = 1, \dots, m$, and that covariate c_i can assume one and only one of n_i values, x_{ik} , $k = 1, \dots, n_i$. The total number of available covariate values is $n = \sum_{i=1}^m n_i$.

Now set up an $n \times n$ matrix F , consisting of sub-matrices F_{ij} , $i, j = 1, \dots, m$ of dimension $n_i \times n_j$. The diagonal blocks F_{ii} will quantify first-order relativities on claims attributes, and the off-diagonal blocks F_{ij} , $j \neq i$ will quantify second-order effects. Let $f_{ij,kl}$ denote the (k, l) element of F_{ij} . This element operates as a multiplier of the claim attribute when covariates c_i and c_j take values x_{ik} and x_{jl} respectively. Since c_i can assume only one of the values x_{ik} , $f_{ii,kl} = 0$ for $k \neq l$, and so F_{ii} is diagonal for all $i = 1, \dots, m$. Moreover, $f_{ij,kl} = f_{ji,lk}$, so that F is symmetric and $f_{ij,kl} > 0$.

Value

Returns a dataframe object, with five columns:

factor_i	Factor i.
factor_j	Factor j.
level_ik	Level within Factor i.
level_jl	Level within Factor j.
relativity	Relativity between level_ik and level_jl, defaults to NA.

Examples

```
factors <- list(
  "Legal Representation" = c("Y", "N"),
  "Injury Severity" = as.character(1:6),
  "Age of Claimant" = c("0-15", "15-30", "30-50", "50-65", "over 65")
)
```

```

relativity_freq <- relativity_template(factors)
relativity_sev <- relativity_template(factors)

# Default Values
relativity_freq$relativity <- c(
  1, 1,
  0.95, 1, 1, 1, 1, 1,
  0.05, 0, 0, 0, 0, 0,
  1, 1, 1, 1, 1,
  1, 1, 1, 1, 1,
  0.53, 0.3, 0.1, 0.05, 0.01, 0.01,
  1, 1, 1, 1, 1,
  1, 1, 1, 1, 1,
  1, 1, 1, 1, 1,
  1, 1, 1, 1, 1,
  1, 1, 1, 1, 1,
  1, 1, 1, 1, 1,
  0.183, 0.192, 0.274, 0.18, 0.171
)

relativity_sev$relativity <- c(
  2, 1,
  1, 1, 1, 1, 1, 1,
  1, 1, 1, 1, 1, 1,
  1, 1, 1, 1, 1,
  1, 1, 1, 1, 1,
  0.6, 1.2, 2.5, 5, 8, 0.4,
  1, 1, 1, 1, 1,
  1, 1, 1, 1, 1,
  1, 1, 1, 1, 1,
  1, 1, 1, 0.97, 0.95,
  1, 1, 1, 0.95, 0.9,
  1, 1, 1, 1, 1,
  1.25, 1.15, 1, 0.85, 0.7
)

head(relativity_freq)
head(relativity_sev)

test_covariates_obj <- covariates(factors)
test_covariates_obj <- set.covariates_relativity(
  covariates = test_covariates_obj,
  relativity = relativity_freq,
  freq_sev = "freq"
)
test_covariates_obj <- set.covariates_relativity(
  covariates = test_covariates_obj,
  relativity = relativity_sev,
  freq_sev = "sev"
)

```

return_parameters *Get Current Parameters*

Description

Returns the current values of `ref_claim` and `time_unit` parameters, two packagewise-global variables used by all simulation functions within this package.

Usage

```
return_parameters(print = FALSE)
```

Arguments

`print` logical; if TRUE prints a message.

Details

Returns and (optionally) prints the current values of `ref_claim` and `time_unit` parameters.

See Also

[set_parameters](#)

Examples

```
cur <- return_parameters()
cur
set_parameters(ref_claim = 200000, time_unit = 1/12) # monthly reserving
return_parameters(print = FALSE)
```

`set.covariates_relativity`
Sets the claims relativity for a covariates object.

Description

Sets the claims relativity for a covariates object.

Usage

```
set.covariates_relativity(covariates, relativity, freq_sev = c("freq", "sev"))
```

Arguments

covariates	an object of type covariates, see covariates
relativity	see relativity_template
freq_sev	one of "freq" or "sev" to adjust frequency or severity relativities respectively

Value

Returns a covariates object.

See Also

[covariates](#), [relativity_template](#)

set_parameters

Set Packagewise Global Parameters for the Claims Simulator

Description

Sets `ref_claim` and `time_unit` parameters for all the simulation functions within the SynthETIC package.

Usage

```
set_parameters(ref_claim = 2e+05, time_unit = 1/4)
```

Arguments

<code>ref_claim</code>	a reference value for the claim sizes (default 200000).
<code>time_unit</code>	time unit to work with, given as a fraction of a year; default calendar quarters (1/4).

Details

Those variables will be available to multiple functions in this package, but are kept local to the package environment (i.e. not accessible from the global environment). To extract the current values of the variables, use [return_parameters](#).

We introduce the reference value `ref_claim` partly as a measure of the monetary unit and/or overall claims experience. The default distributional assumptions were set up with an Australian Auto Liability portfolio in mind. `ref_claim` then allows users to easily simulate a synthetic portfolio with similar claim pattern but in a different currency, for example. We also remark that users can alternatively choose to interpret `ref_claim` as a monetary unit. For example, one can set `ref_claim <- 1000` and think of all amounts in terms of \$1,000. However, in this case the default simulation functions will not work and users will need to supply their own set of functions and set the values as multiples of `ref_claim` rather than fractions as in the default setting.

We also require the user to input a `time_unit` (which should be given as a fraction of year), so that the default input parameters apply to contexts where the time units are no longer in quarters. In the default setting we have a `time_unit` of 1/4 i.e. we work with calendar quarters.

The default input parameters will update automatically with the choice of the two variables `ref_claim` and `time_unit`, which ensures that the simulator produce sensible results in contexts other than the default setting. We remark that both `ref_claim` and `time_unit` only affect the default simulation functions, and users can also choose to set up their own modelling assumptions for any of the modules to match their experiences even better. In the latter case, it is the responsibility of the user to ensure that their input parameters are compatible with their time units and claims experience. For example, if the time units are quarters, then claim occurrence rates must be quarterly.

See Also

See the vignette for this package for a full list of functions impacted by those two variables.

Examples

```
set_parameters(ref_claim = 200000, time_unit = 1/12) # monthly reserving
```

simulate_cdf	<i>Inverse Transform Sampling</i>
--------------	-----------------------------------

Description

Generates sample numbers at random from any probability distribution given its cumulative distribution function. Pre-defined distribution functions such as `pnorm` are supported.

See [here](#) for the algorithm.

Usage

```
simulate_cdf(n, cdf, range = c(-1e+200, 1e+200), ...)
```

Arguments

<code>n</code>	number of observations.
<code>cdf</code>	cumulative distribution function to be sampled from.
<code>range</code>	support of the given cdf.
<code>...</code>	other arguments/parameters to be passed onto <code>cdf</code> .

Examples

```
simulate_cdf(10, pnorm)
simulate_cdf(10, pbeta, shape1 = 2, shape2 = 2)
```

simulate_covariates *Covariates Simulation*

Description

Simulates covariates for each claim. The relative occurrence of each combination of covariates is given the frequency relativities of the covariates.

Usage

```
simulate_covariates(  
  covariates,  
  frequency_vector = 1,  
  claim_size_list = list(1)  
)
```

Arguments

`covariates` a `covariates` object, which stores the frequency and severity relativities for given covariate levels.

`frequency_vector` a vector in the same output as `claim_frequency`.

`claim_size_list` optional if `frequency_vector` is not inputted. A list in the same output as `claim_size`.

Value

Returns a `covariates_data` object.

test_claims_object *Claims Data in List Format*

Description

A list containing a sample output from each of the simulation modules, in sequential order of the running of the modules. This is the test data generated when run with seed 20200131 at the top of the code.

Usage

```
test_claims_object
```

Format

A claims object with 10 components:

frequency_vector vector; number of claims for each occurrence period, see also `claim_frequency()`.

occurrence_list list; claim occurrence times for all claims that occurred in each of the period, see also `claim_occurrence()`.

claim_size_list list; claim sizes for all claims that occurred in each of the period, see also `claim_size()`.

notification_list list; notification delays for all claims that occurred in each of the period, see also `claim_notification()`.

settlement_list list; settlement delays for all claims that occurred in each of the period, see also `claim_closure()`.

no_payments_list list; number of partial payments for all claims that occurred in each of the period, see also `claim_payment_no()`.

payment_size_list (compound) list; sizes of partial payments (without inflation) for all claims that occurred in each of the period, see also `claim_payment_size()`.

payment_delay_list (compound) list; inter partial delays for all claims that occurred in each of the period, see also `claim_payment_delay()`.

payment_time_list (compound) list; payment times (on a continuous time scale) for all claims that occurred in each of the period, see also `claim_payment_time()`.

payment_inflated_list (compound) list; sizes of partial payments (with inflation) for all claims that occurred in each of the period, see also `claim_payment_inflation()`.

See Also

1. Claim occurrence: [claim_frequency](#), [claim_occurrence](#)
2. Claim size: [claim_size](#)
3. Claim notification: [claim_notification](#)
4. Claim closure: [claim_closure](#)
5. Claim payment count: [claim_payment_no](#)
6. Claim payment size (without inflation): [claim_payment_size](#)
7. Claim payment time: [claim_payment_delay](#), [claim_payment_time](#)
8. Claim inflation: [claim_payment_inflation](#)

Examples

```
test_claims_object$frequency_vector
```

```
test_claims_object_cov
```

Claims Data in List Format

Description

The `test_claims_object` where the default set of covariates have been applied to adjust claim sizes.

Usage

```
test_claims_object_cov
```

Format

An object of class `claims` of length 10.

Examples

```
test_claims_object$frequency_vector
```

```
test_claim_dataset
```

Claims Dataset

Description

A dataset of 3,624 rows containing individual claims features.

Usage

```
test_claim_dataset
```

Format

A data frame with 3,624 rows and 7 variables:

claim_no claim number, which uniquely characterises each claim.

occurrence_period integer; period of occurrence of the claim.

occurrence_time double; time of occurrence of the claim.

claim_size size of the claim (in constant dollar values).

notidel notification delay of the claim, i.e. time from occurrence to notification.

setldel settlement delay of the claim, i.e. time from notification to settlement.

no_payment number of partial payments required for the claim.

Examples

```
# see a distribution of payment counts
table(test_claim_dataset$no_payment)
```

test_claim_dataset_cov
Claims Dataset

Description

The test_claim_dataset where the default set of covariates have been applied to adjust claim sizes.

Usage

```
test_claim_dataset_cov
```

Format

An object of class data.frame with 3624 rows and 7 columns.

Examples

```
# see a distribution of payment counts  
table(test_claim_dataset_cov$no_payment)
```

test_covariates_dataset
Covariates Data Object

Description

An object detailing the set of covariates for each claim in the default setting of SynthETIC.

Usage

```
test_covariates_dataset
```

Format

A covariates_data object with 3 components:

data data.frame; a dataset of covariate levels

covariates covariates; a covariates object

ids list; indices of the covariate-level dataset for each claim

Examples

```
test_covariates_dataset$data
```

test_covariates_obj *Covariates Object*

Description

A list containing the frequency and severity relativities for three factors.

Usage

```
test_covariates_obj
```

Format

A covariates object with 3 components:

factors list; levels within each factor.

relativity_freq data.frame; first and second order frequency relativities between all the levels of each factor

relativity_sev data.frame; first and second order severity relativities between all the levels of each factor

Examples

```
test_covariates_obj$factors
```

test_transaction_dataset
 Transactions Dataset

Description

A dataset of 18,983 records of partial payments associated with the 3,624 claims in test_claim_dataset.

Usage

```
test_transaction_dataset
```

Format

A data frame with 18,983 rows and 12 variables:

claim_no claim number, which uniquely characterises each claim.

pmt_no payment number, identification number of partial payments in respect of a particular claim_no.

occurrence_period integer; period of occurrence of the claim.

occurrence_time double; time of occurrence of the claim.
claim_size size of the claim (in constant dollar values).
notidel notification delay of the claim, i.e. time from occurrence to notification.
setldel settlement delay of the claim, i.e. time from notification to settlement.
payment_time double; time of payment (on a continuous time scale).
payment_period integer; time of payment (in calendar period).
payment_size size of the payment in constant dollar terms.
payment_inflated actual size of the payment (i.e. with inflation).
payment_delay inter partial delay associated with the payment.

test_transaction_dataset_cov
Transactions Dataset

Description

The test_transaction_dataset where the default set of covariates have been applied to adjust claim sizes.

Usage

```
test_transaction_dataset_cov
```

Format

An object of class data.frame with 18983 rows and 12 columns.

to_SynthETIC *Conversion to SynthETIC Format*

Description

Converts a vector of simulated quantities (e.g. claim occurrence times, claim sizes) to a list format consistent with what is used for SynthETIC simulation; to be used when user wishes to replace one or more of the SynthETIC modules with their own.

Usage

```
to_SynthETIC(x, frequency_vector, level = c("clm", "pmt"), no_payments_list)
```

Arguments

<code>x</code>	a vector of simulated quantities for all the claims.
<code>frequency_vector</code>	a vector of claim frequencies for all the periods.
<code>level</code>	level of the data provided; one of "c1m" (claim, which is the default) or "pmt" (payment).
<code>no_payments_list</code>	list of number of partial payments; only required if <code>level = "pmt"</code> .

Details

It is assumed that the simulated quantities in `x` is provided in chronological order, e.g. if there are 30 claims in period 1 and `x` is on a "c1m" level, then the first 30 elements of `x` should give the measures for those 30 claims. Likewise, if `x` is on a "pmt" level, and the first claim in period 1 has 5 payments, then the first 5 elements of `x` should give the measures for those 5 payments.

Value

A list of quantities such that the i th component of the list gives the corresponding measure for all claims that occurred in period i .

Examples

```
freq <- claim_frequency()
my_claims <- rweibull(sum(freq), shape = 4, scale = 100000)
claim_sizes <- to_SynthETIC(my_claims, freq)
```


Index

* datasets

- test_claim_dataset, 36
- test_claim_dataset_cov, 37
- test_claims_object, 34
- test_claims_object_cov, 36
- test_covariates_dataset, 37
- test_covariates_obj, 38
- test_transaction_dataset, 38
- test_transaction_dataset_cov, 39

- check_relativity, 3
- claim_closure, 4, 12, 19, 35
- claim_frequency, 6, 19, 34, 35
- claim_notification, 7, 35
- claim_occurrence, 9, 35
- claim_output, 5, 9, 19
- claim_payment_delay, 11, 35
- claim_payment_inflation, 12, 19, 35
- claim_payment_no, 15, 35
- claim_payment_size, 16, 35
- claim_payment_time, 18, 35
- claim_size, 19, 20–22, 34, 35
- claim_size_adj, 20
- claim_size_adj.fit, 21
- claims, 3, 25, 27
- covariates, 20, 21, 22, 32, 34
- covariates_data, 22, 23, 34
- covariates_relativity, 22
- cv, 23

- generate_claim_dataset, 24
- generate_transaction_dataset, 25, 28
- get_Beta_parameters, 26
- get_Weibull_parameters, 26

- plot.claims, 27
- plot_transaction_dataset, 27

- relativity_template, 3, 29, 32
- return_parameters, 31, 32

- set.covariates_relativity, 21, 31
- set_parameters, 5, 8, 14, 17, 31, 32
- simulate_cdf, 7, 20, 33
- simulate_covariates, 20, 34

- test_claim_dataset, 24, 36
- test_claim_dataset_cov, 37
- test_claims_object, 34
- test_claims_object_cov, 36
- test_covariates_dataset, 37
- test_covariates_obj, 38
- test_transaction_dataset, 25, 38
- test_transaction_dataset_cov, 39
- to_SynthETIC, 22, 39